

T. 26 N., R. 2 E., 2nd Mer.

	269-272		270-272		270-271		271	
	6	5	4	290	3	285	2	1 269
275	303							
	302	302	295	295	289	284	280	279
274	7	301	8	294	9	289	10	284
	301		300	294	288	283	278	
274	18	300	17	293	16	288	15	283
	300		299	293	287	282	277	
273	19	299	20	292	21	287	22	282
	298		298	292	287	281	277	
273	30	297	29	291	28	286	27	281
	297		296	291	286	280	276	
272	31	296	32	290	33	285	34	280
	263-266		263-265	263-265	263-264	263-264	264	

T. 27N, R. 2E. 2nd Mer.

	312	313	313	313	313	314						
						315						
314	6	334	5	328	4	323	3	319	2	316	1	311
	335	335	328	324	319	316						
314	7	336	8	328	9	324	10	320	11	316	12	311
	336	336	329	324	320	317						
314	18	337	17	329	16	325	15	321	14	317	13	312
	338	337	330	325	321	318						
315	19	338	20	330	21	326	22	322	23	318	24	312
315	339	339-334	334	326	323	319	312					
	30	29	332	28	327	27	323	26	25	310		
	333	333	332	327	349	348						
	31	32	334	33	34	348	35	348	36	310		
			307-309	307-309	308	308						

 The figures on the lines refer to the page.

Township Lines.

Chs. Lk. South Boundary. Random Line.

East on S. Boundary of Sec. 33 Var. 5° 45' E.

From corner of Sec. 32 & 33

10.00 Intersect E. Boundary of J. Godfrey's grant or survey N. 4, set post from which

a Bur Oak 50 in. dia. bears N 31 E 17 lks. dist. 8

a R. Elm 3 " " " S 69 W 18 " "

Measured along said line North 19.93 Chs. to post on Wabash River, NE. corner of said survey.

12.75 over Run 6 lks. wide course N.

22.50 over Branch 6 lks. wide course N.

35.30 over Creek 20 " " " NW

38.00 over same 20 " " " SW

40.00 set temp. gr. sec. post

41.00 enter same Creek 25 lks. wide course NW

45.50 leave Do " SW

47.00 ascend Bluff 50 feet high

51.75 descend Do

55.80 over same Creek 10 lks. wide course N

68.80 Intersect W. Boundary of Survey N. 6 P. Longlo's grant, set post from which

a Beech 24 in. dia. bears S 38 E 40 lks. dist. 8

a R. Oak 4 " " " N 34 W 35 " "

Measured South along W. Boundary of same 703 lks. to the SW. corner of same.

Level first rate land. Timber Beech, Ash, Walnut & Spice, Pawpaw &c. Soil on limestone rock.

East on S. Boundary of Sec. 34

From corner of Sec. 33 & 34

68.80 Intersect E. Boundary of Survey N. 6, P. Longlo's grant, set post from which

a Beech 30 in. dia. bears N 54 W 20 lks. dist. 8

a Do 24 " " " S 82 E 23 " "

T. 27 N., R. 2 E. 2. Mer. Ind.?

Chk. Sp.

Measured along E. Boundary of same South 8.10
Chk. to S.E. corner of same.

80.00 set temp. post for cor. of sec. 34 & 35

Land same as last described.

East on S. Boundary of Sec. 35

40.00 set temp. gr. sec. post

80.00 set temp. post for cor. of sec. 35 & 36

Level Beech flats 2nd rate. Timber Beech, Ash,
Elm, Walnut, Oak & Spice, Pawpaw &c.

East on S. Boundary of Sec. 36

40.00 set temp. gr. sec. post

42.75 over Branch 30 Ws. wide course N.

45.75 over fine Spring branch 4 Ws. wide course N.

74.00 beautiful Spring S. 100 Ws.

75.50 over Spring run 3 Ws. wide course N.E.

80.00 set temp. post for cor. of T. 26 & 27 N., R. 2 & 3 E.

Gently rolling 1st rate land. Timber Beech, Ash,
Elm, Walnut, Buckeye & Spice, Pawpaw &c.
November 28. 1838

Corrected Line.

West on the S. Boundary of Sec. 36

80.00 set post cor. of sec. 35 & 36, in W. Boundary of
Wapapeshkee's grant N. 10, from which
a Beech 28 in. dia. bears N 21 E 34 Ws. dist. 8,
a Do 20 " " " N 24 W 37 " "

Measured along W. Boundary of said grant.

South 27.70 Chk. to S.W. corner of same

December 3. 1838

West on the S. Boundary of Sec. 35

8.48 a Beech 28 in. dia.

24.00 a Do 30 " "

40.00 set gr. sec. post from which

T. 27 N., R. 2 E. 2. Mer. Ind.

Ch. St.

- a Beech 23 in. dia. bears N 75 E 12 W. dist. 3
 a Do 16 " " " N 37 W 52 " "
 43.45 a Maple 40 " "
 55.25 a double W. Oak 60 in. dia.
 80.00 set post cor. of sec. 34 & 35 from which
 a Beech 16 in. dia. bears N 69 W 25 W. dist. 3
 a Do 24 " " " N 58 E 42 " "

West on the S. Boundary of Sec. 34

- 4.95 a Beech 20 in. dia.
 14.36 a Sugar 30 " "
 15.94 Intersect E. Boundary of Private grant N. 6,
 P. Longley's, set post from which
 a Beech 30 in. dia. bears N 54 W 20 W. dist. 2
 a Do 24 " " " S 82 E 23 " "
 Measured along E. Boundary of said grant South
 8.10 Ch. to the S.E. corner of the same

West on the S. Boundary of Sec. 33

From corner of sec. 33 & 34

- 15.90 Intersect W. Boundary of P. Longley's grant N. 6
 set post from which
 a Beech 24 in. dia. bears S 38 E 40 W. dist. 2
 a W. Oak 4 " " " N 34 W 35 " "
 Measured along W. Boundary of Survey N. 6
 South 7.03 Ch. to the S.W. corner of same.
 19.17 a Beech 18 in. dia.
 27.55 a Gray Ash 40 in. dia.
 40.00 set gr. sec. post from which
 an Ironwood 11 in. dia. bears N 56 W 22 W. dist. 2
 a Blue Ash 10 " " " N 38 E 23 " "
 66.30 a Beech 30 " "
 69.60 a Sugar 20 " "
 73.50 Intersect E. Boundary of St. Godfrey's grant
 N. 4, set post from which
 a Bur Oak 50 in. dia. bears N 31 E 17 W. dist. 3

T. 27 N., R. 2 E. 2. Mer. Ind. a

Ch. Sp.

a R. Elm 3 in. dia. bears S 69° W 18 W. dist.
Measured along said line North 19.93 Ch. to
the NE. corner of said grant on left bank of
Wabash River. December 5. 1838

East Boundary. Var. 5.40. E.

North on the E. Boundary of Sec. 36

Bearings at Township corner:

a Ironwood 5 in. dia. bears N 64° W 39 W. dist. 2

a B. Ash 10 " " " S 75° E 8 " "

5.30 a Beech 26 " "

9.50 enter Prairie, W.

19.00 leave "

21.11 a Hickory 1 1/4 in. dia.

21.23 enter Creek 30 W. wide course NE

21.85 leave Do

29.00 an Indian trace, E.

37.32 an Ironwood 7 in. dia.

40.00 set g. sec. part from which

a Lym 10 in. dia. bears S 78° W 23 W. dist. 2

a Do 8 " " " N 49° W 12 " "

48.86 a W. Oak 40 " "

53.12 a Sugar 24 " "

67.10 a Do 36 " "

70.70 an Indian trace, E.

80.00 set part cor. of sec. 25 & 36 from which

a W. Elm 11 in. dia. bears S 41° W 25 W. dist. 2

a Sugar 23 " " " N 19° W 35 " "

Level T. state land. Timber Beech, Sugar, Elm,
Lym, Walnut, &c. Spice, Hawth.

North on the E. Boundary of Sec. 25

2.78 a W. Elm 28 in. dia.

24.50 a Sugar 40 " "

24.70 an Indian trace, E

40.00 set g. sec. part from which

T. T. N., R. 2 E. 2. Mer. Ind.

Ch. Lk.

a W. Elm 18 in. dia. bears S 70° W 30 lbs. dist. 8

a R. Elm 4 " " " N 10° W 27 " "

52.50 set post on left bank of Wabash R. from which

a Hackberry 20 in. dia. bears N 81° W 11 lbs. dist. 8

a Lr 28 " " " S 22° E 27 " "

Land same as last described. Limestone in abundance.

From last post down the River

N 29° W 2.30

N 56° W 11.75, thence across River

N 56° 4.50 to post on Range line in right bank of River.

Arthur J. C. Vance, Dep. Surveyor.

South on the E. Boundary of Sec. 1 Var. 5° 55' E.

26.25 a Hickory 15 in. dia.

40.00 set of sec. post from which

a W. Oak 10 in. dia. bears N 8° W 79 lbs. dist. 8

a Lr 20 " " " S 24° W 54 " "

61.16 a B. Oak 24 " "

80.00 set post corner of Sec. 1 & 12 in swampy Prairie raised a mound

South on the E. Boundary of Sec. 12

20.69 a B. Oak 12 in. dia.

36.50 set post on right bank of Eel River from which

a Cherry 6 in. dia. bears S 86° W 4 lbs. dist. 8

a Willow 4 " " " South 22 " "

40.00 set of sec. post on left bank of Eel River from which

a Willows 7 in. dia. bears N 69° W 8 lbs. dist. 8

a Lr 9 " " " North 4 " "

Course of Eel River SW.

65.94 a B. Oak 30 in. dia.

80.00 set post cor. of Sec. 12 & 13 from which

a W. Oak 14 in. dia. bears N 6° W 50 lbs. dist. 8

a Hickory 5 " " " S 76° W 18 " "

T. 27 N., R. 2 E., S. Mer. Ind.

Chs. 100.

South on the E. Boundary of Sec. 13

25.70 a Buckeye 20 in. dia.

40.00 set gr. sec. post from which

a Beech 14 in. dia. bears N19°W 42 Yds. dist. &

a Do 21 " " " S76°W 54 " "

65.65 a Sugar 15 " "

80.00 set post cor. of sec. 13 & 24 from which

a W. Walnut 14 in. dia. bears N6°W 22 Yds. dist. &

a Do 10 " " " S46°W 12 " "

South on the E. Boundary of Sec. 24

22.93 a Sugar 16 in. dia.

40.00 set gr. sec. post from which

a Sugar 12 in. dia. bears N13°W 14 Yds. dist. &

a Beech 18 " " " S24°W 26 " "

61.96 a Beech 20 " "

80.00 set post cor. of sec. 24 & 25 from which

a B. Oak 12 in. dia. bears N34°W 21 Yds. dist. &

a Hickory 4 " " " S57°W 22 " "

South on the E. Boundary of Sec. 25

6.16 set post in right bank of Wabash R. from which
an Elm 20 in. dia. bears S89°E 65 Yds. dist.

(No other Bearing tree)

The Barrens and Prairies cease on this line at
Eel River. Land 3rd rate. The land between Eel
and Wabash Rivers 7th rate.

North Boundary. Var. 5°55' E.

East on S. Boundary of Sec. 31, T. 28 N., R. 2 E.

9.51 a W. Oak 22 in. dia.

30.27 set gr. sec. post in swampy Prairie, no Bearings.

70.27 set post cor. of sec. 31 & 32 from which

a W. Oak 20 in. dia. bears N23°W 74 Yds. dist. &

a Do 24 " " " N44°E 76 " "

Complete.

T. 27 N., R. 2 E. 2^d Mer. Ind^a.Ch^a. Cr^a.

East on the S. Boundary of Sec. 32, T28 N, R2 E.

40.00 set of sec. post from which

a Hickory 12 in. dia. bears N50°W 133 Yds. dist. 8

a W. Oak 30 " " " N45°E 91 " "

52.04 a Hickory 8 " "

80.00 set post cor. of sec. 32 & 33 from which

a W. Oak 22 in. dia. bears West 55 Yds. dist. 8

a Do 24 " " " East 30 " "

East on the S. Boundary of Sec. 33, T28 N, R2 E.

24.50 a Hickory 9 in. dia.

40.00 set of sec. post from which no Bearing trees,
in Barrens

80.00 set post cor. of sec. 33 & 34 from which

a Hickory 10 in. dia. bears N81°E 214 Yds. dist. 8

a Do 8 " " " N84°E 212 " "

East on the S. Boundary of Sec. 34, T28 N, R2 E

29.11 a W. Oak 24 in. dia.

40.00 set of sec. post from which

a Hickory 4 in. dia. bears N49°W 4 Yds. dist. 8

a Do 4 " " " N87°E 38 " "

72.08 a W. Oak 24 " "

80.00 set post cor. of sec. 34 & 35 from which

a W. Oak 20 in. dia. bears N50°W 82 Yds. dist. 8

a Do 20 " " " N49°E 69 " "

East on the S. Boundary of Sec. 35, T28 N, R2 E

33.39 a W. Oak 18 in. dia.

40.00 set of sec. post from which

a W. Oak 10 in. dia. bears N22°E 13 Yds. dist. 8

a Do 20 " " " N30°E 18 " "

80.00 set post cor. of sec. 35 & 36 from which

a W. Oak 36 in. dia. bears N87°E 34 Yds. dist. 8

a Do 24 " " " East 110 " "

October 23. 1827

T. 27 N., R. 2 E. 2. Mer. Ind.^a

Chs. Sks.

East on the S. Boundary of Sec. 36, T. 28 N., R. 2 E.

40.00 set q. sec. post from which

a Hickory 10 in. dia. bears N 13° W 66 Yds. dist. &

(No other Bearing tree)

80.00 set post cor. of T. 27 & 28 N., R. 2 & 3 E. from

which a B. Oak 24 in. dia. bears N 39° W 60 Yds. dist. &

a Do 20 " " " N 47° E 43 " "

(Description of land omitted throughout)

West Boundary. Var. 5° 35' E.

South on the E. Boundary of Sec. 1, T. 27 N., R. 1 E.

36.98 a W. Oak 36 in. dia.

40.00 set q. sec. post from which

a Hickory 6 in. dia. bears N 24° W 57 Yds. dist. &

a Do 9 " " " N 60° W 32 " "

65.17 a B. Oak 30 " "

80.00 set post cor. of sec. 1 & 2 from which

a B. Oak 24 in. dia. bears N 10° W 426 Yds. dist. &

a W. Oak 27 " " " S 57° W 320 " "

South on the E. Boundary of Sec. 12, T. 27 N., R. 1 E.

30.19 a B. Oak 21 in. dia.

40.00 set q. sec. post from which

a W. Oak 30 in. dia. bears N 59° W 63 Yds. dist. &

a Gum 24 " " " S 21° W 72 " "

56.52 a Poplar 12 " "

59.30 a Stream 13 Yds. wide course W.

70.80 a Do 20 " " " E

75.67 a Do 20 " " " SW

80.00 set post cor. of sec. 12 & 13 from which

a Beech 16 in. dia. bears N 8° W 53 Yds. dist. &

a Do 16 " " " S 19° W 70 " "

South on the E. Boundary of Sec. 13, T. 27 N., R. 1 E.

5.50 a Stream 40 Yds. wide course SE

22.00 a B. Ash 24 in. dia.

T. 27 N., R. 2 E., T. Mer. Ind. &
Chr. Str.

40.00 set of sec. post from which
a Hickory 4 in. dia. bears N 12° W 21 lbs. dist. 9,
a Beech 10 " " " S 33° W 14 " "
59.24 a Beech 21 " "
62.80 a Stream 40 lbs. wide course SW
65.50 a Do 30 " " " SE
80.00 set post cor. of sec. 13 & 24 from which
an Ironwood 12 in. dia. bears N 15° W 41 lbs. dist. 9,
a Buckeye 15 " " " S 56° W 26 " "

South on the E. Boundary of Sec. 24, T. 27 N., R. 1 E.

0.80 a Stream 25 lbs. wide course SW
28.73 an Ironwood 7 in. dia.
40.00 set of sec. post from which
a Beech 10 in. dia. bears N 30° W 12 lbs. dist. 9,
an Ironwood 7 " " " S 64° W 19 " "
67.78 a Beech 17 " "
80.00 set post cor. of sec. 24 & 25 from which
a Beech 14 in. dia. bears N 74° W 29 lbs. dist. 9,
a Cherry 16 " " " S 62° W 45 " "

South on the E. Boundary of Sec. 25, T. 27 N., R. 1 E.

3.65 Intersect a line supposed to be an Indian Re-
servation, set post from which
an Ironwood 6 in. dia. bears S 31° E 11 lbs. dist. 8
a Beech 7 " " " North 44 " "
Land State. Timber Beech & Sugar.
Some Barrens. October 22, 1827

David Hillis

Deputy Surveyor.

Subdivision. Var. 5° 55' E.

East between T. 27 & 28 from cor. of sec. 35 & 36

9.60 Intersect W. Boundary of Mawchinnegaw's
Reserve, set post from which
a W. Oak 10 in. dia. bears S 7° W 198 lbs. dist. 9

T. 27 N., R. 2 E. 2 Mer. Ind.

Ch. Ch.

a W. Oak 24 in. dia. bears N 72° W 258 Yds. dist.
Rolling poor barren 3rd rate land. Timber
W Oak 8th

South between Sect. 10 & 12 Open Prairie

5.00 a Branch 4 Yds. wide course S E

10.00 enter timbered land

19.36 a W. Oak 18 in. dia.

40.00 set of sec. part from which

a W. Oak 24 in. dia. bears S 76° E 73 Yds. dist. &

a Do 24 " " " N 79° W 65 " "

67.25 a B. Oak 22 " "

80.00 set part cor. of Sect. 1, 2, 11 & 12 from which

a W. Oak 28 in. dia. bears N 19° E 32 Yds. dist. &

a Do 24 " " " S 18 1/2° W 46 " "

Rolling 2nd rate land. Open champaign country. W & B. Oak, Hickory & Upr. Hickory &

East between Sect. 10 & 12

9.80 Intersect W. Boundary of Mauchinequeau's
Reserve 80.08 S. of Town line and 65.04 Ch.
N. of the SW. corner of said Reserve, where
set part from which

a W. Oak 22 in. dia. bears S 65 1/2° W 16 Yds. dist. &

a Do 20 " " " N 72° W 55 " "

South between Sect. 11 & 12

21.91 a B. Oak 10 in. dia.

40.00 set of sec. part from which

a B. Oak 14 in. dia. bears N 4° E 100 Yds. dist. &

a W. Oak 10 " " " N 39° E 45 " "

64.97 a Station tree (name omitted)

80.00 set part cor. of Sect. 11, 12, 13 & 14 from which

a W. Oak 22 in. dia. bears N 50° E 21 Yds. dist. &

a Do 22 " " " S 49 1/2° W 18 " "

Rolling 2nd rate land. Timber Oak, Hickory

317

T. 27 N., R. 2 E., 2^d Mer. Ind.^a
Chr. Spr.

4th Ulsr. Hazel, Sassafras &c.

East on Random between Secs 12 & 13

6.79 set temp. post on right bank of Eel River

11.79 set temp. post on left " " Do

44.00 set temp. gr. sec. post

80.12 Intersect E. Boundary 98th S. of post -

Level 2nd rate land. Timber Sugar, Elm, Hick-
ory, Oak, Poplar &c. Ulsr. Hazel, Ash, Ironwood
Hickory, Sassafras &c.

West Corrected between Secs 12 & 13

20.37 a Sugar 36 in. dia.

44.06 set gr. sec. post at aver. dist. from which
a Hickory 5 in. dia. bears S 68° E 15th S. dist. 8
a Do 5 " " " N 23° W 12 " "

60.18 an Ironwood 12 in. dia.

68.33 set post on left bank of Eel River from which
a Buckeye 12 in. dia. bears N 53° E 21th S. dist. 8
a Blue Ash 6 " " " S 61½° E 9 " "

73.33 a Bur Oak 34 in. dia. corner tree on right
bank of Eel River.

80.12 to sec. cor.

South between Secs 13 & 14

23.80 a Buckeye 18 in. dia.

30.89 set post on right bank of Eel River from which
a Bur Oak 36 in. dia. bears N 86½° W 40th S. dist. 8
a Buckeye 20 " " " N 3½° E 46 " "

38.70 set post on left bank of Eel River from which
a W. Oak 30 in. dia. bears S 9° W 13th S. dist. 8
a Do 24 " " " N 45° E 40 " "

40.00 set gr. sec. post from which
a W. Oak 20 in. dia. bears S 47° E 12th S. dist. 8
a B. Oak 30 " " " N 43° W 18 " "

43.50 a Head of Spring, SW.

T. 27 N., R. 2 E., S. 2 Mer. Ind. A

Chr. Spr.

55.00 a Buckeye 12 in. dia.

80.00 set post cor. of sec. 13, 14, 23 & 24 from which
a Elm 24 in. dia. bears S 64° W 27° Mer. dist. 28
a Blue Ash 20 " " " S 32° E 18 " "Rolling State land. Timber Oak, Ash,
Buckeye, Sugar, Hickory & V. Upr. Sugar,
Ironwood, Spice, Hickory, Hazel, Sassafras & V.

East on Random between Sec. 13 & 24

40.00 set temp. of sec. post

80.50 Intersect E. Boundary 122 Mer. S. of post -

Rolling rich State land. Timber Ash, Elm,
Beech, Sugar, Walnut, Hickory & V. Upr.
Hazel, Hickory, Berries & V.

West Corrected between Sec. 13 & 24

23.60 an Elm 22 in. dia.

40.25 set of sec. post at aver. dist. from which
a B. Walnut 10 in. dia. bears S 35° W 28° Mer. dist. 28
a Beech 12 " " " N 19° E 6 " "

59.97 a Locust 24 " "

80.50 to sec. cor.

South between Sec. 23 & 24

18.66 a Sugar 20 in. dia.

40.00 set of sec. post from which

a Sugar 8 in. dia. bears N 53½° E 14 Mer. dist. 28
a Beech 19 " " " S 28° W 24 " "

61.45 a Hickory 12 " "

80.00 set post cor. of sec. 23, 24, 25 & 26 from which
an Elm 20 in. dia. bears N 37° E 9 Mer. dist. 28

a Sugar 6 " " " S 59° W 18 " "

Rolling rich T. State land. Timber Sugar,
Elm, Walnut, Buckeye, Ash, Hackberry,
Beech & V. Upr. Buckeye, Spice, Pawpaw & V.

319

T. 27 N., R. 2 E. 2. Mer. Ind.^a
Ch. Sp.

East on Random between Sec. 24 & 25
40.00 set temp. of sec. part
50.00 a Branch 5 M. wide course SE
80.65 Intersect E. Boundary 130 M. S. of part—
Rolling 2^d & 3^d rate land. Timber Oak,
Hickory, Ash, Beech, Elm, Sugar & Upr.
Elm, Buckeye, Spice, Sassafras &

West Connected between Sec. 24 & 25
40.32 set of sec. part at aver. dint. from which
a Sugar 20 in. dia. bears S 44 E 30 M. dint. 2
a B. Walnut 4 " " " N 78 E 50 " "
80.65 to sec. cor.

South between Sec. 25 & 26
33.71 set part on right bank of Wabash R. from wh.
a Buckeye 12 in. dia. bears N 18 E 33 M. dint. 2
a Hackberry 18 " " " N 18 W 24 " "
Broken 2^d rate land. Timber Ash, Oak,
Hickory, Walnut, Buckeye & Upr. Hazel,
Vines &

South between Sec. 2 & 3
21.27 app. Oak 20 in. dia.
40.00 set of sec. part from which
a W. Oak 28 in. dia. bears N 43 E 20 M. dint. 2
a Do 22 " " " N 19 W 29 " "
Enter open Prairie
67.25 a Branch 4 M. wide course SE
80.00 set part cor. of Sec. 2, 3, 10 & 11 in Mound in
Prairie. Rolling 2^d & 3^d rate land.
Timber Oak, Hickory & No Upr.

East on Random between Sec. 2 & 11
7.25 a Branch 4 M. wide course SSW
40.00 set temp. of sec. part—

T. 27 N., R. 2 E. 2^d Mer. Ind.^a

C.W. Lk.

79.54 Intersect N & S. line 22 W. S. of post—
Part level, part rolling 2^d 3^d rate land

West Corrected between Sect. 2 & 11

19.50 a W. Oak 14 in. dia.

39.77 set gr. sec. post at aver. dist. from which
a Hickory 12 in. dia. bears S 76 $\frac{1}{2}$ W 28 W. dist. 8
a Do 14 " " " N 8. E 58 " "

79.54 to sec. cor.

South between Sect. 10 & 11

12.00 a Branch 8 W. wide course SW

14.50 the same stream " SSE

40.00 set gr. sec. post from which
a W. Oak 24 in. dia. bears S 78 $\frac{1}{2}$ W 68 W. dist. 8
a Do 18 " " " S 43 E 51 " "
scattering timber

46.00 grove of small timber

62.20 a B. Oak 24 in. dia.

80.00 set post cor. of sec. 10, 11, 14 & 15 from which
a W. Oak 18 in. dia. bears S 2 E 102 W. dist. 8
a Do 20 " " " S 50 W 69 " "

First half mile rolling 3^d rate, last half rolling 2^d rate land. Timber Oak, Hickory & Ulp.
Hazel, Sapapap, Hickory &

East on Random between Sect. 11 & 14

27.50 a Branch 6 W. wide course S

40.00 set temp. gr. sec. post

79.75 Intersect N & S. line 21 W. S. of post—
Rolling 2^d rate land. Timber Oak, Hickory,
Sugar, Walnut & Ulp. Hazel, Hickory, Briars &

West Corrected between Sect. 11 & 14

19.83 a B. Oak 22 in. dia.

39.87 set gr. sec. post at aver. dist. from which

T. 27 N., R. 2 E. 2^d Mer. Ind.^a

Chr. Spr.

a B. Oak 30 in. dia. bears N 77° W 13 Mts. dist. 8

a Hickory 16 " " " S 26 1/2° E 36 " "

57.19 a W. Oak 24 " "

79.75 to sec. cor.

South between Secs. 14 & 15

22.94 a Bur Oak 20 in. dia.

40.00 set of sec. post from which

a Sugar 18 in. dia. bears S 78° E 32 Mts. dist. 8

a B. Oak 28 " " " N 23° W 42 " "

51.50 enter wet Prairie

56.75 a Branch 4 Mts. wide course S E

61.50 enter timbered land

72.12 a W. Oak 28 in. dia.

73.00 enter wet Prairie

80.00 set post cor. of sec. 14, 15, 22 & 23 in wet Prairie,
where raised a mound from which

a W. Oak 28 in. dia. bears North 88° Mts. dist. 8

a W. Elm 18 " " " S 1° E 662 " "

Level 2^d rate land. Timber Oak, Elm, Hickory,
V. Upr. Hickory, Hazel, Sassafras, Bricks,
Vines &c.

East on Random between Secs. 14 & 23

8.00 a Branch 6 Mts. wide course S W

15.00 enter timbered land

40.00 set temp. of sec. post

61.59 set temp. post on right bank of Eel River

66.00 set temp. post on left " of do

68.00 enter wet Prairie

73.00 leave. do and fine springs course W N W.

80.00 Intersect N & S. line 15 Mts. S. of post—

Part level, part rolling 2^d rate land. Timber
Oak, Hickory, Sugar, Ash, Elm, Beech &c.

Upr. Ash, Elm, Beech, Spruce, Hazel, Hickory

T. 27 N., R. 2 E. 2^d Mer. Ind^a

Chs. Lk?

West Connected between Sect. 14 & 23

14.00 set post on left bank of Oel River from which
a W. Oak 14 in. dia. bears S 75° W 4 1/2 Mts. dist. 8

a Do 4 " " " N 61° W 3 1/2 " "

18.41 set post on right bank of Oel R. from which
a Bur Oak 24 in. dia. bears S 55° W 16 Mts. dist. 8

a Blue Ash 14 " " " N 63° W 6 " "

40.00 set gr. sec. post at aver. dist. from which

a Sugar 20 in. dia. bears S 55° W 7 1/2 Mts. dist. 8

a Hickory 22 " " " N 63° E 5 1/4 " "

59.74 a R. Elm 16 " "

80.00 to sec. cor.

South between Sect. 22 & 23

6.50 a Branch Oks. wide course SW

7.00 enter timbered land

16.60 a W. Oak 40 in. dia.

35.40 set post on right bank of Oel River from which

a B. Oak 24 in. dia. bears N 42° E 14 Mts. dist. 8

a Hickory 15 " " " N 42° W 21 " "

40.00 set gr. sec. post in Oel River from which

an Elm 12 in. dia. bears S 20° W 54 Mts. dist. 8

a Sugar 10 " " " S 22 1/4° E 53 " "

40.40 set post on left bank of Oel River from which

a W. Thorn 10 in. dia. bears N 89° W 14 Mts. dist. 8

a Hornbeam 12 " " " S 53° E 11 " "

44.00 enter Prairie

50.00 leave "

53.50 an Ash 20 in. dia.

80.00 set post cor. of sec. 22 & 23, 26 & 27 from which

a W. Oak 30 in. dia. bears N 9° E 28 Mts. dist. 8

an Ash 8 " " " S 8° W 30 " "

Rolling 2^d rate land. Timber Elm, Walnut,
Oak, Hickory, Ash, Poplar, Sugar & Ugly.
Spruce, Hazel, Hickory &c.

T. 27 N., R. 2 E., 2^d Mer. Ind.^a

Chr. Sk.

Cart on Random between Sec. 23 & 26

14.50 a Branch 5 hrs. wide course SE

27.50 a Spring run course SE

40.00 set temp. of sec. post

80.50 Intersect N & S. line 33 hrs. S. of post -

First half mile broken inferior 2^d rate land.Last half mile level rich 2^d rate land.Timber Sugar, Walnut, Ash, Elm, Beech,
Oak & Upr. Spice, Pawpaw, Hazel &c.

West Corrected between Sec. 23 & 26

20.10 a Sugar 20 in. dia.

40.25 set of sec. post at aver. dist. from which
a Beech 14 in. dia. bears S 85° E 41 hrs. dist. &

a Do 19 " " " S 119° W 65 " "

80.50 to sec. cor.

South between Sec. 26 & 27

5.00 enter Swamp

9.00 leave "

20.23 an Elm 24 in. dia.

40.00 set of sec. post from which

a Sugar 12 in. dia. bears S 47½° W 4 hrs. dist. &

a Do 8 " " " N 32½° E 14 " "

48.57 set post on the right bank of Wabash R. from
wh. a Blue Ash 18 in. dia. bears N 9° W 7 hrs. dist.

& a B. Oak 20 " " " N 55° E 31 " "

Level land on solid bed of Limestone.

Timber Elm, Ash, Walnut, Oak & Upr.

Ironwood &c.

South between Sec. 3 & 4

40.00 set of sec. post in Prairie where raised a
mound

80.00 set post cor. of sec. 3, 4, 9 & 10 from which

an Oak 22 in. dia. bears S 62° W 19 hrs. dist. &

T. 27 N., R. 2 E. 2. Mer. Ind.^u
 Ch. R.

a Hickory 3 in. dia. bears N 89 $\frac{1}{2}$ E 45 lbs. dist. 2
 Level open barren 3rd rate land. Timber
 scattering Oak, Hickory & No Upr.

East on Random between Sec. 3 & 10

40.00 set temp. g. sec. post

80.29 Intersect N. & S. line 10 lbs. S. of post -

Part level, part rolling 3rd rate land.

Mostly Prairie or Barrens. Timber W. Oak,
 Hickory & No Upr.

West Connected between Sec. 3 & 10

25.74 a W. Oak 18 in. dia.

40.14 set g. sec. post at aver. dist. from which

a W. Oak 10 in. dia. bears S 85 $\frac{1}{2}$ E 183 lbs. dist. 2

a Do 22 " " " N 87 $\frac{1}{2}$ W 693 " "

80.29 to sec. cor.

South between Sec. 9 & 10

2.50 enter scattering timber

17.57 a W. Oak 20 in. dia.

40.00 set g. sec. post from which

a W. Oak 18 in. dia. bears N 71 $\frac{1}{2}$ W 50 lbs. dist. 2

a Do 18 " " " S 72 E 58 " "

59.64 a W. Oak 18 " "

80.00 set post cor. of Sec. 9, 10, 15 & 16 from which

a W. Oak 22 in. dia. bears N 64 $\frac{1}{2}$ W 23 lbs. dist. 2

a Do 24 " " " East 73 " "

Part level Prairie, part rolling timbered
 land. Inferior 3rd rate. Timber W. Oak, Hick-
 ory & Upr. Saplings, Hickory &

East on Random between Sec. 10 & 15

24.00 a Swamp, offset North 2.00

40.00 set temp. g. sec. post while on offset

50.00 Reduced offset

T. 27 N., R. 2 E., T. 2 Mer. Ind.

Ch. 10?

80.24 Intersect N & S. line 60 Ws. N. of port -
 Part level, part rolling T. & ate land. Timber
 Oak, Hickory & Ulp. Sassafras, Hickory, Oak &c.

West Connected between Sec. 10 & 15

22.14 a W. Oak 20 in. dia.

40.12 set of sec. part at aver. dist. from which
 a Willow 2 in. dia. bears N 34° W 27 Ws. dist. 3
 a Do 3 " " " N 76° E 17 " "

60.67 a W. Oak 18 " "

80.24 to sec. cor.

South between Sec. 15 & 16

11.75 a Branch 8 Ws. wide course E. supposed to
 be Outlet of Pond

27.91 a Hickory 16 in. dia.

40.00 set of sec. part from which
 a W. Oak 32 in. dia. bears N 49° W 16 Ws. dist. 3
 a Do 36 " " " S 53° E 36 " "

55.50 a dead running stream 12 Ws. wide course
 SW.

64.55 a Sugar 20 in. dia.

80.00 set part cor. of Sec. 15, 16, 21 & 22 from which
 a R. Elm 6 in. dia. bears S 69° E 22 Ws. dist. 3
 a Do 20 " " " N 68° W 22 " "

Part rolling T. & ate, part level T. & ate
 land. Timber Oak, Hickory, Elm, Ash,
 Walnut, Sugar & Ulp. Hazel, Spice,
 Pawpaw &c.

East in Random between Sec. 15 & 22

40.00 set temp. of sec. part

70.00 enter wet Prairie

79.94 Intersect N & S. line 74 Ws. N. of port -

First half mile T. & ate, last half mile
 level T. & ate land. Timber Oak, Walnut,

T. 27 N., R. 2 E., 2^d Mer. Ind.^a

Ch. 18?

Elm, Ash, Sugar, Buckeye, Hickory &
 Upr. Hazel, Sapapara, Hickory, Plum,
 Ash, Pawpaw &

West Connected between Sec. 15 & 22

17.45 a Bur Oak 22 in. dia.

39.97 set g. sec. post at aver. dist. from which
 a W. Oak 18 in. dia. bears S 43 $\frac{1}{2}$ ° E 140 yds. dist. &
 a Buckeye 12 " " " N 40 $\frac{1}{2}$ ° W 25 " "

59.45 a Buckeye 10 " "

79.94 to sec. cor.

South between Sec. 21 & 22

17.70 a W. Elm 20 in. dia.

40.00 set g. sec. post from which
 an Elm 16 in. dia. bears N 85° W 24 yds. dist. &
 a Locust 10 " " " S 75° E 34 " "

43.74 set post on right bank of Old River from wh.
 a Hawthorn 4 in. dia. bears S 87° E 12 yds. dist. &
 a B. Oak 30 " " " N 80° W 21 " "

50.80 set post on left bank of Old River from which
 a W. Oak 24 in. dia. bears N 78° E 10 yds. dist. &
 a Lr 12 " " " N 54° W 32 " "

55.00 enter Prairie

70.00 leave "

80.00 set post cor. of sec. 21, 22, 27 & 28 from which
 a W. Oak 8 in. dia. bears N 18° W 18 yds. dist. &
 a Cherry 12 " " " S 30 $\frac{1}{2}$ ° E 36 " "

Part level T. rate, part rolling 2^d rate land.
 Timber Oak, Ash, Hickory, Walnut, Sugar, Elm,
 Buckeye, Hackberry & Upr. Spice, Hazel,
 Briers &

East on Random between Sec. 22 & 27

40.00 set temp. g. sec. post

79.85 Intersect N & S. line 98 yds. N. of post -

T. 27 N., R. 2 E. 2. Mer. Ind. a.

Chr. Pls.

Level rich State land. Timber Oak, Elm,
Walnut, Ash, Sugar, Beech & Ulp. Spice,
Hazel, Briers &c.

West Corrected between Sec. 22 & 27

39.92 set of sec. post at aver. dist. from which
a Beech 24 in. dia. bears S 40 $\frac{1}{2}$ W 33 $\frac{1}{2}$ lbs. dist. 2,
a Do 20 " " " N 22 E 22 " "

60.41 a Beech 20 " "

79.85 to sec. cor.

South between Sec. 27 & 28

25.00 a W. Oak 14 in. dia.

40.00 set of sec. post from which
a W. Oak 20 in. dia. bears N 31 E 5 lbs. dist. 2,
a Do 30 " " " S 42 W 30 " "

80.00 set post cor. of sec. 27, 28, 33 & 34 from which
a W. Oak 30 in. dia. bears N 75 E 4 lbs. dist. 2,
a Sugar 24 " " " S 41 W 10 " "
Rolling rich State land. Timber Ash, Oak,
Hickory, Elm, Walnut, Sugar & Ulp. Spice,
Hazel, Briers &c.

East between Sec. 27 & 34

17.08 a Beech 20 in. dia.

27.00 set post on right bank of Wabash R. from wh.
an Ironwood 6 in. dia. bears N 41 E 27 lbs. dist. 2,
a Sugar 4 " " " S 84 W 39 " "

Level 3rd state land. Timber Oak, Beech,
Sugar, Hickory & Ulp. Sugar, Hickory, Spice &c.

South between Sec. 33 & 34

0.50 set post on right bank of Wabash R. from wh.
a Buckeye 6 in. dia. bears N 41 $\frac{1}{2}$ E 12 lbs. dist. 2,
a W. Beech 4 " " " S 1 W 4 " "

T. 27 N., R. 2 E. 2. Mer. Ind.?

Chr. Spr.

South between Sec. 4 & 5

34.12 a W. Oak 16 in. dia.

40.00 set of sec. post from which

a W. Oak 16 in. dia. bears North 588 Yds. dist. S

a Do 24 " " " N 8 E 514 " "

58.74 a W. Oak 22 " "

80.00 set post cor. of sec. 4, 5, 8 & 9 from which

a W. Oak 28 in. dia. bears S 64 E 7 Yds. dist. S

a Do 24 " " " N 52 W 38 " "

Level barren 3rd rate land, Timber Oak,
Hickory & Ylgr. Oak, Boiers &

East in Random between Sec. 4 & 9

32.25 a Branch 4 Yds. wide course SW

37.75 a Do 3 " " " SW

40.00 set temp. of sec. post.

After 15 different crossings left the same
stream to NE.

79.78 Intersect N. S. line 30 Yds. S. of post -

Part level, part rolling barren 3rd rate Prairie
land. Timber scattering Oak, Hickory &
Ylgr. Oak &

West Corrected between Sec. 4 & 9

21.93 a W. Oak 22 in. dia.

39.89 set of sec. post at av. dist. from which

a W. Oak 18 in. dia. bears N 12 1/2 W 140 Yds. dist.

a Do 20 " " " N 3 1/2 W 50 " "

62.53 a B. Oak 18 " "

79.78 to sec. cor.

South between Sec. 8 & 9

6.50 a Branch 4 Yds. wide course SE

27.20 a W. Oak 22 in. dia.

40.00 set of sec. post from which

a Hickory 5 in. dia. bears S 57 E 21 Yds. dist. S

T. 27 N., R. 2 E., 2^d Mer. Ind.^a

Ch. Lk.

- a Hickory 8 in. dia. bears N 38° W 37 Yds. dist.
 62.59 a Sugar 16 " "
 67.25 a Branch 3 Yds. wide course ESE
 80.00 set post cor. of sec. 8, 9, 10 & 17 from which
 a Beech 14 in. dia. bears S 62° W 21 Yds. dist. &
 a Walnut 36 " " " N 82° E 17 " "
 First 3/4 mile inferior 2^d rate, balance 1st
 rate Upland. Timber Oak, Ash, Hickory,
 Walnut, Sugar, Beech, Elm & Ulp. Spruce,
 Hickory, Sapapara &c.

East on Random between Sec. 9 & 16

- 10.25 a Spring branch 3 Yds. wide course NE
 17.75 a Branch 6 Yds. wide course SSE
 20.75 a Stream 12 " " " S.
 40.00 set temp. of sec. post.
 50.00 enter Swamp
 63.50 leave "
 68.50 a Branch 4 Yds. wide course NW
 79.86 Intersect N. S. line 18 Yds. S. of post—
 Rolling 2^d rate land. Timber Oak, Hickory,
 Poplar, Walnut &c. Ulp. Spruce, Hazel, Hick-
 ory, Sapapara &c.

West Corrected between Sec. 9 & 16

- 20.81 a W. Elm 16 in. dia.
 39.93 set of sec. post at aver. dist. from which
 a Poplar 40 in. dia. bears N 45° W 7 Yds. dist. &
 a Spr. Ash 8 " " " S 37° E 24 " "
 60.16 in. Elm 14 " "
 79.86 to sec. cor.

South between Sec. 10 & 17

- 24.64 an Elm 22 in. dia.
 29.00 a Spring branch 4 Yds. wide course SE
 40.00 set of sec. post from which

T. 27 N., R. 2 E. 2. Mer. Ind.

Chs. 1st.

- an Elm 18 in. dia. bears S 23° W 18 Ws. dist. 8
 a Sugar 20 " " " N 79° E 26 " "
 46.00 a Spring branch 3 Ws. wide course SE
 61.81 a Buckeye 16 in. dia.
 64.00 enter Willow Swamp, SE
 73.00 leave Do bearing E.
 80.00 set part cor. of sec. 16, 17, 20 & 21 from which
 a Sapasap 4 in. dia. bears N 33° W 24 Ws. dist. 3
 a Span. Oak 4 " " " S 36° E 21 " "
 First half mile 2nd rate, last half mile uneven 3rd
 rate land. Timber Oak, Poplar, Sugar, Walnut,
 Hickory, Elm & V. Ulp. Hazel, Spice, Sapasap,
 Willow &c.

East on Random between Sec. 16 & 21

- 3.50 a Stream 15 Ws. wide course S.
 40.00 set temp. gr. sec. post
 42.50 a Branch 6 Ws. wide course S.
 79.40 Intersect N & S. line 14 Ws. S. of post—
 First half mile level inferior 2nd rate, last half
 mile level good 2nd rate. Timber Oak, Hickory,
 Elm, Ash, Sugar, Walnut, Buckeye & V. Ulp.
 Hazel, Hickory, Spice &c.

West Corrected between Sec. 16 & 21

- 19.55 a Hickory 5 in. dia.
 39.70 set gr. sec. post at aver. dist. from which
 a W. Oak 26 in. dia. bears N 48° E 8 Ws. dist. 3
 a Sugar 10 " " " South 11 " "
 79.40 to sec. cor.

South between Sec. 20 & 21

- 3.50 enter Prairie
 10.00 leave "
 14.00 a Spring course SE
 20.00 a Stream 10 Ws. wide course SE

T. 27 N., R. 2 E., 2^d Mer. Ind. a.

Ch. 1st.

- 21.12 a Beech 10 in. dia.
 23.50 cut W. bend of same stream
 40.00 set gp. sec. post from which
 a Buckeye 12 in. dia. bears S 79 E 4 1/2 krs. dist. &
 a Do 14 " " " N 13 W 10 " "
 64.50 an Elm 30 " "
 78.50 set post on right bank of Eel River from which
 a Hackberry 14 in. dia. bears S 61 W 21 krs. dist. &
 a Buckeye 5 " " " N 58 1/2 E 12 " "
 Rolling 2^d rate land. Timber Beech, Sugar,
 Oak, Ash, Buckeye &c. Upr. Ironwood, Spice
 80.00 set post in Eel River cr. of sec. 20, 21, 28 & 29 from
 wh. a Hackberry 10 in. dia. bears N 2 E 132 krs. dist.
 & a Do 8 " " " N 41 W 142 " "

East on Randon between Sec. 21 & 28

- 10.43 set temp. post on left bank of Eel River
 40.00 set temp. gp. sec. post
 79.33 Intersect N & S. line 30 krs. N. of post—
 Part rolling, part level rich 2^d rate land.
 Timber Oak, Ash, Elm, Hickory, Sugar, Cherry,
 Walnut, Sapapah &c. Upr. Hazel, Sapapah,
 Briers &c.

West Corrected between Sec. 21 & 28

- 23.33 a Hickory 14 in. dia.
 39.66 set gp. sec. post at aver. dist. from which
 a W. Elm 20 in. dia. bears S 24 E 28 krs. dist. &
 an Ironwood 8 " " " N 75 W 29 " "
 58.73 a Bur Oak 40 " "
 69.12 set post on left bank of Eel River from which
 a W. Oak 5 in. dia. bears N 88 E 10 1/2 krs. dist. &
 an Ironw. 3 " " " S 11 E 28 " "
 79.33 to sec. cor.

West between Sec. 20 & 29

T. 27 N., R. 2 E. 2^d Mer. Ind.^a

Chs. Lk.

- 27.92 set post on S.E. bank of Cel River, cor. of fract. sec.
20 & 29 from which
a Blue Ash 18 in. dia. bears S 53° W 13 Mer. dist. 8
a Locust 22 " " " S 53° E 36 " "
29.70 Intersect E. Boundary of J. B. Richardville's
Reservation, & 144 Mer. S.E. of the N.E. corner
thereof, where set post cor. of fract. sec. 20 & 29, from
wh. a Lym 18 in. dia. bears N 24° E 13 Mer. dist. 8
a Buckeye 8 " " " S 36° E 40 " "
Mostly in the River.

South between Sec. 28 & 29

- 3.23 set post on left bank of Cel River from which
a Sugar 22 in. dia. bears S 38° E 11 Mer. dist. 8
a Sp. Oak 26 " " " N 84° W 28 " "
17.05 a Sugar 14 " "
40.00 set gr. sec. post from which
a Walnut 8 in. dia. bears N 67½° E 4 Mer. dist. 8
a W. Beech 8 " " " S 88° W 17 " "
54.01 a Sugar 22 " "
80.00 set post cor. of sec. 28, 29, 32 & 33 from which
a Hickory 8 in. dia. bears S 80° E 13 Mer. dist. 8
a Do 4 " " " S 39° W 26 " "
Rolling rich State land. Timber Sugar, Hick-
ory, Walnut, Beech, Oak, Cherry & Upr.
Hazel, Briers &c.

East on Random between Sec. 28 & 33

- 40.00 set temp. gr. sec. post
79.42 Intersect N. & S. line 56 Mer. N. of post—
Level stony State land. Timber Oak, Hick-
ory, Ash, Sugar, Elm, Buckeye & Upr. Hazel,
Elm, Ironwood, Briers &c.

West Corrected between Sec. 28 & 33

- 19.09 a Bur Oak 40 in. dia.

T. 27 N., R. 2 E. 2. Mer. Ind. a.

Chr. Lbr.

- 39.71 set gr. sec. post at aver. dist. from which
 a Bur Oak 10 in. dia. bears N 48 E 43 lbs. dist. 3
 a Dr 14 " " " S 77 W 40 " "
 57.62 a W. Elm 18 " "
 79.42 to sec. cor.

West between Sec. 29 & 32

- 23.77 a Beech 24 in. dia.
 40.00 set gr. sec. post from which
 a Hickory 4 in. dia. bears S 27 1/2 W 21 lbs. dist. 3
 a Span. Oak 4 " " " N 4 W 21 " "
 66.58 a Sugar 20 " "
 80.00 set post cor. of sec. 29, 30, 31 & 32 from which
 a Hickory 4 in. dia. bears N 6 1/2 W 4 lbs. dist. 3
 a Dr 4 " " " S 29 E 22 " "
 Part level, part rolling 2. rate land.
 Timber scattering Sugar, Oak, Beech, Hick-
 ory & Ulp. Hazel, Hickory, Sumac, Briers &c.

North between Sec. 29 & 30

- 13.36 a Sugar 22 in. dia.
 29.33 Intersect S.E. Boundary of J. B. Richardville's
 Reservation, 33.18 Chr. N.E. from the concave
 corner thereof, where set post from which
 a Walnut 6 in. dia. bears S 56 E 30 lbs. dist. 3
 a Span. Oak 4 " " " S 21 W 45 " "
 Level rich 2. rate land. Timber Sugar, Wal-
 nut, Oak, Hickory & Ulp. Hazel &c.

West between Sec. 30 & 31

- 19.47 a Cherry 3 in. dia.
 25.00 enter wet Prairie
 26.27 set post in wet Prairie, which post stands
 in the E. Boundary of J. B. Richardville's
 Reservation, 23.56 Chr. S.E. from the con-
 cave corner thereof, from which

T. 27 N., R. 2 E., T. 3 Mer. Ind. ^u

Chp. Chp?

a Bur Oak 18 in. dia. bears S 65° E 83 Yds. dist. &
no other tree convenient.

Rolling State land. Timber Sugar, Oak,
Walnut, Hickory & Ylps. Hickory, Briers

South between Sec. 31 & 32

17.00 enter wet Prairie, E & W

24.20 enter timbered land

34.33 set post on right bank of Wabash R. from which

a Bur Oak 30 in. dia. bears N 31½° E 98 Yds. dist. &

a Do 34 " " " N 57° E 111 " "

Part level, part rolling State land. Timber
Oak, Hickory, Elm & Ylps. Hazel, Hickory,
Sumac &

South between Sec. 32 & 33

23.02 an Elm 22 in. dia.

40.00 set g. sec. post from which

a W. Oak 8 in. dia. bears S 69° W 19 Yds. dist. &

a B. Walnut 2 " " " N 26° E 34 " "

45.50 set post on right bank of Wabash R. from which

a Bur Oak 18 in. dia. bears N 50° W 19 Yds. dist. &

a Do 16 " " " N 21° E 54 " "

Level State land. Timber Sugar, Hickory,
Elm, Oak, Hackberry & Ylps. Hazel, Briers &

South between Sec. 5 & 6

32.64 a W. Oak 18 in. dia.

40.00 set g. sec. post from which

a W. Oak 20 in. dia. bears N 34° E 121 Yds. dist. &

a B. Oak 22 " " " S 109° W 181 " "

58.00 a Do 22 " "

62.00 enter wet Prairie

80.00 set post cor. of sec. 5, 6, 7 & 8 from which

an Elm 10 in. dia. bears S 53½° E 53 Yds. dist. &

a Do 14 " " " S 22½° W 110 " "

T. 27 N., R. 2 E. S. 2 Mer. Ind.^a
 Chas. Sh.

First half mile rolling, last half mile wet & swampy 3^d rate land. Timber Oak, Hickory, Ash, Elm & Upr. Hazel, Sassafras &c.

East in Random between Sec. 5 & 8

10.00 leave wet Prairie

40.00 set temp. of sec. post

55.00 enter Swamp

57.65 a Branch 6 Mts. wide course SE

58.00 leave Swamp

79.89 Intersect N. & S. line 8 Mts. N. of post -

Rolling 3^d rate land. Timber Oak, Hickory, Ash, Poplar & Upr. Hazel, Hickory, Briar &c.

West Corrected between Sec. 5 & 8

21.50 a W. Oak 20 in. dia.

39.94 set of sec. post at aver. dist. from which

a G. Ash 18 in. dia. bears S 74° W 45 Mts. dist. S

a W. Oak 25 " " " N 2 E 54 " "

79.89 to sec. cor.

West between Sec. 6 & 7

20.00 leave Prairie

24.50 enter Swamp

27.50 leave "

40.00 set of sec. post from which

a W. Oak 36 in. dia. bears S 70 1/2° E 21 Mts. dist. S

a B. Oak 24 " " " N 88° W 60 " "

58.00 a W. Oak 24 " "

62.00 enter wet Prairie

68.00 leave Do

69.78 Intersect W. Boundary 12 Mts. N. of post -

set post at intersection cor. of sec. 6 & 7 from which

a W. Oak 20 in. dia. bears S 32 E 163 Mts. dist. S

a Poplar 30 " " " N 73 E 200 " "

Poor 3^d rate land. Timber Oak, Hickory &c.

T. 27 N., R. 2 E. S. 2 Mer. Ind.^a
Chr. Lk?

Upr. Saprap, Hickory &c

South between Sec. 7 & 8

1.50 leave wet Prairie

12.00 enter Prairie

20.50 leave "

22.80 a Branch 6 Mts. wide course S E

40.00 set of sec. part from which

a Buckeye 6 in. dia. bears S 6 1/2 E 12 Mts. dist. 8

a Do 4 " " " N 63 W 8 " "

65.81 ab. Ash 18 " "

80.00 set part cor. of sec. 7, 8, 17 & 18 from which

an Elm 6 in. dia. bears N 52 E 16 Mts. dist. 8

a Beech 20 " " " N 56 W 15 " "

First half mile level poor barren 3rd rate,

last half mile rolling 2nd rate land. Timber

Oak, Ash, Elm, Beech, Walnut, Poplar &c

Upr. Hazel, Briers &c

East on Random between Sec. 8 & 17

40.00 set temp. of sec. part

50.00 a Branch 10 Mts. wide course S E

79.88 Intersect N. S. line 6 Mts. S. of part -

Part level, part rolling 2nd rate. Timber

Beech, Ash, Elm, Oak, Walnut, Sugar,

Poplar &c. Upr. Spice, Ash, Hickory &c

West Connected between Sec. 8 & 17

20.33 a W. Oak 8 in. dia.

39.94 set of sec. part at aver. dist. from which

a Beech 24 in. dia. bears N 50 W 44 Mts. dist. 8

a Do 22 " " " S 64 E 20 " "

60.12 a Beech 16 " "

79.88 to sec. cor.

West between Sec. 7 & 18

Sample

T. 27 N., R. 2 E. 2. Mer. Ind^aCh^a. 2nd.

- 15.40 a Branch 3¹/₂ M^s. wide course S.
 27.85 a Bur Oak 50 in. dia.
 40.00 set of sec. post from which
 a W. Oak 18 in. dia. bears N 47 E 60 M^s. dist. 3
 a Beech 28 " " " S 69 1/2 W 48 " "
 47.40 a Branch 3 M^s. wide course S.
 62.88 a Sugar 26 in. dia.
 69.28 Intersect W. Boundary 8 M^s. N. of post—
 set post at intersection cor. of sec. 17 & 18 from which
 a W. Oak 24 in. dia. bears N 33 E 48 M^s. dist. 3
 a B. Oak 36 " " " East 14 " "
 Rolling rich 2nd rate land. Timber Beech,
 Ash, Walnut, Oak, Hickory, Poplar, Sugar,
 Upr. Spice, Ash, Oak, Hazel &c.

South between Sec. 17 & 18

- 5.00 cut W. bend of a branch 6 M^s. wide
 8.50 the same stream course SW
 9.50 Do Do " SE
 23.27 a Beech 28 in. dia.
 40.00 set of sec. post from which
 a Sugar 6 in. dia. bears S 25 1/2 W 35 M^s. dist. 3
 an Elm 5 " " " N 61 E 21 " "
 58.25 a Walnut 36 in. dia.
 80.00 set post cor. of sec. 17, 18, 19 & 20 from which
 a B. Oak 20 in. dia. bears S 29 1/2 W 24 M^s. dist. 3
 an Ironw. 10 " " " N 75 E 15 " "
 Rolling rich 1st & 2nd rate land. Timber
 Beech, Oak, Ash, Hickory, Walnut, Sugar,
 Elm, Cherry &c. Upr. Spice, Ash, Sugar,
 Ironwood, Hickory &c.

East on Random between Sec. 17 & 20

- 29.75 a Branch 4 M^s. wide course S.
 40.00 set temp. of sec. post
 59.10 a Branch 10 M^s. wide course S.

T. 27 N., R. 2 E., 2^d Mer. Ind.^aCh. 1st

79.88 Intersect N. & S. line 28 Wks. S. of part—
 First 60 Chs. rich T. State, last 20 Chs. uneven
 State land. Timber Walnut, Ash, Elm,
 Hickory, Poplar, Oak, Sugar & Upr. Hazel,
 Spice, Ash, Pawpaw &c.

West Corrected between Sec. 17 & 20

20.02 a Hickory 14 in. dia.

39.94 cut g. sec. part at avers. dist. from which
 a Hickory 6 in. dia. bears N 36° W 14 Wks. dist. 2
 a Do 8 " " " S 62° E 4 " "

59.37 a Poplar 48 " "

79.88 to sec. cor.

West between Sec. 18 & 19

16.00 a Branch 4 Wks. wide course S.

21.63 an Elm 22 in. dia.

37.50 a Pond, offset South 1.00

39.00 Reduced offset

40.00 cut g. sec. part from which

a Beech 10 in. dia. bears N 20° W 17 Wks. dist. 2

a Do 5 " " " S 37° W 10 " "

40.50 a Swamp, offset South 2.00

43.00 reduced offset

57.88 a Bur Oak 22 in. dia.

65.50 a Stream 15 Wks. wide course S. & W.

67.50 cut a N. bend of same stream

68.86 Intersect W. Boundary 46 Wks. S. of part—

set part at intersection cor. of sec. 18 & 19 from north.

a Beech 10 in. dia. bears N 11° E 12 Wks. dist. 2

a Ironw. 8 " " " S 33° W 19 " "

Rolling rich State land. Timber Beech,
 Walnut, Elm, Sugar, Ash, Oak, Buckeye &
 Upr. Spice, Ash, Sugar, Pawpaw &c.

South between Sec. 19 & 20

T. 27 N., R. 2 E., S. Mer. Ind.

Ch. Lk.

22.33 a Cherry 24 in. dia.

32.00 enter a cornfield supposed to contain 10 Ac.

37.50 leave cornfield

40.00 set of sec. post from which

an Ironwood 12 in. dia. bears N 45 E 17 W. dist. 8,

a Buckeye 10 " " " S 48 W 33 " "

54.54 a W. Elm 20 " "

80.00 set post cor. of sec. 19, 20, 29 & 30 from which

a Buckeye 12 in. dia. bears N 2 1/2 E 14 W. dist. 8,

a Lym 22 " " " S 54 W 23 " "

Rolling rich 1. State land. Timber Walnut,
Oak, Hackberry, Elm, Beech, Sugar, Cherry
& W. Spruce, Buckeye, Pawpaw &c

East between Sec. 20 & 29

1.00 set post on right bank of Owl River from which

a W. Oak 16 in. dia. bears N 2 1/2 E 15 W. dist. 8

a Mulberry 3 " " " S 61 W 14 " "

South between Sec. 29 & 30

0.58 set post on right bank of Owl R. from which

a Blue Ash 14 in. dia. bears N 54 E 13 W. dist. 8

a W. Beech 3 " " " S 76 W 14 " "

West between Sec. 19 & 30

4.50 a Branch 10 W. wide course S E.

25.00 an Ironwood 8 in. dia.

40.00 set of sec. post from which

a Beech 6 in. dia. bears S 28 E 18 W. dist. 8

a W. Beech 6 " " " N 47 E 21 " "

40.25 a Branch 8 W. wide course S.

52.92 a Beech 18 in. dia.

68.80 Intersect W. Boundary 53 W. S. of post -

set post at intersection cor. of sec. 19 & 30 from which

a Beech 20 in. dia. bears N 25 E 16 W. dist. 8

an Ironw. 4 " " " S 41 E 25 " "

T. 27 N., R. 2 E. 2. Mer. Ind.

Part level, part rolling rich 2. rate land
 Timber Ash, Walnut, Beech, Oak, Elm,
 Sugar. Upr. Spice.

Thence on the line bounding N.E. side of
 George Bicott's Reservation N. 15.45° W.
 we found N.E. corner of said Reservation
 at the distance of 5.78 Chs. from the point
 of intersection with Range line.

Meanders of Wabash River. Right bank
 down stream. Beginning at post in East
 Boundary, thence:

Courses Chs. & M.	Remarks.
N 81° W 15.00	In Sec. 25
S 83° W 12.00	
S 74° W 5.00	
S 63 3/4° W 50.00	
S 49° W 0.50	at 75 lbs. a Spring branch 5 lbs. wide from the N. — to post in line between Sec. 25 & 26, 33.71 Chs. S. of sec. cor.
S 65° W 10.00	In Sec. 26 — Head of Island
N 81° W 5.00	
S 76° W 25.00	Point of Island
S 47° W 5.00	
S 82° W 5.00	
N 85° W 5.00	at 4.50 a Branch 8 lbs. wide from N.
S 80° W 7.50	
N 86° W 10.00	
S 87° W 5.00	high rocky banks
S 75° W 3.00	
S 57 1/2° W 3.06	to post in line between Sec. 26 & 27 48.57 Chs. S. of sec. cor.

341

T. 27 N., R. 2 E., S. 2 Mer. Ind.?

Courses Chs. Sks.	Remarks.
S 83° W 5.00	In Sec. 27
S 60° W 4.00	
S 68° W 8.00	
S 80° W 3.50	
S 70° W 12.50	
S 47° W 16.00	
South 5.00	
S 36° W 3.00	
S 69° W 4.00	
S 75° W 5.33	to post in line between Sec. 27 & 34. 27.00 Chs. East of Sec. corner
S 75° W 6.00	In Sec. 34
S 87° W 3.00	
N 84° W 13.00	
S 86 1/4° W 5.10	to post in line between Sec. 33 & 34 50 Chs. South of Sec. corner.
S 81° W 15.50	In Sec. 33
S 65° W 9.00	
S 36° W 7.50	at 80 Chs. a Spring branch 5 Chs. wide from NW
S 42 1/2° W 11.00	
S 39° W 5.00	
S 52° W 23.00	
S 66° W 12.00	
S 82° W 7.00	
N 87° W 5.14	at 3.00 Chs. Head of Island. To post in line between Sec. 32 & 33 45.50 Chs. South of Sec. corner
N 80° W 8.00	In Sec. 32
S 88° W 25.00	at 21.50 Chs. foot of large Island & enter Prairie which bears NW
N 77 3/4° W 47.67	to post in line between Sec. 31 & 32 34.33 Chs. South of Sec. corner.

T. 27 N., R. 2 E. 2^d Mer. Ind.^a

Courses Ch. Sp.

Remarks.

At 6.00 Ch., 15.00 Ch., 19.25 Ch., 21.50 Ch.,
 " 25.00 " , 26.50 " , 32.00 " , 34.00 "
 Springs which head in wet Prairie.

West 16.95 In Sec. 31 — Intersect E. Boundary of
 J. B. Richardville's Reservation

Meanders of Owl River. Left bank
 down stream. Beginning at post in
 East Boundary, thence:

S 69° W 12.00 In Sec. 12

S 76° W 4.50 Head of Island

S 45° W 5.00

S 57° W 4.00 Point of Island

S 67° W 3.50

S 42° W 2.50

S 39° W 7.00

S 52° W 5.00

S 68° W 6.00

N 80° W 5.00

N 67° W 11.00

S 75° W 4.00

S 41° W 8.00

S 24° W 2.00 at 1.00 Ch. Head of Island

S 7° W 4.50

S 20° W 5.50 Point of Island

S 5 E 2.70 to post in line between Secs. 12 & 13
 68.33 Ch. West of Sec. corner.

S 16 E 7.50 In Sec. 13

South 6.00

S 10° W 6.50

S 20° W 6.50

S 38 1/4° W 16.88 to post in line between Secs. 13 & 14
 38.70 Ch. South of Sec. corner.

T. 27 N., R. 2 E. 2^d Mer. Ind.^a

Courses Ch. Sta.	Remarks.
S44°W 2.50	In Sec. 14
S40°W 3.50	
S29°W 2.00	Head of great Shoal
S20°W 3.50	at 2.00 Ch. a Branch 6 Mts. wide from East
S14°W 4.00	
S24°W 3.50	
S14°W 4.00	
S12°W 10.50	
S28°W 2.50	
S15°W 2.50	a Spring branch 3 Mts. wide from SE
S63/4°W 0.10	to port in line between Sec. 14 & 23
	14.00 Ch. West of Sec. corner.
	At 5.00 Ch. a Spring branch 4 Mts. wide from ENE
S2°E 2.00	In Sec. 23
S6°E 10.00	at 3.50 Ch. a Branch 3 Mts. wide from NE
	at 7.00 " a Spring branch 4 " " " NE
	The 4 last noted branches head in a wet Prairie bearing East
S8°W 15.00	at 5.25 Ch. a Spring branch 4 Mts. wide from East
S21°W 2.00	
S38°W 8.00	at 7.00 Ch. a fine Spring near the summit of a tremendous high Bluff
S56°W 3.50	
S81°W 10.00	
N76°W 9.50	foot of high Bluff
S86°W 3.00	
S75°W 5.00	a Spring
S68°W 5.00	
S87°W 24.75	to port in line between Sec. 22 & 23
	40.40 Ch. South of Sec. corner
S67°W 9.50	In Sec. 22
S53°W 0.00	

T. 27 N., R. 2 E., T. 2 Mer. Ind. a

Courses Ch. & Lk.

Remarks.

S51°W 10.00 at 1.50 Ch. & at 4.25 Ch. Spring branch fr. SE
 S68°W 7.50
 S50°W 14.00 at 5.00 Ch. a Spring branch 3 lks. wide from
 SE. and at 11.25 Ch. Great Springs.
 S72°W 6.50 at 5.75 Beautiful strong Springs.
 N86°W 8.50
 N67°W 7.00 at 6.00 Ch. enter Prairie which bears SW
 N43°W 9.00 Heads of 2 small Islands not exceed-
 ing 150 lks. in length
 N42½°W 10.54 to port in line between Sec. 21 & 22
 50.80 Ch. South of Sec. cor.

N50°W 10.00 In Sec. 21

N43°W 9.50

S68°W 5.50

S51°W 9.00

S41°W 10.00

S62°W 15.00

S43°W 3.00 at 50 lks. a Branch 4 lks. wide from SE

S36°W 16.00

S46°W 4.50

S63°W 2.96 to port in line between Sec. 21 & 28
 69.12 Ch. West of Sec. corner.

S68°W 6.50 In Sec. 28

S77°W 4.20 to port in line between Sec. 28 & 29
 3.23 Ch. South of Sec. corner.

S77°W 7.00 In Sec. 29

N89°W 7.50

N81°W 7.50

N62°W 6.98 to port in line between Sec. 20 & 29
 27.92 Ch. West of Sec. corner

N57½°W 2.58 In Sec. 20 - to N.E. corner of J. B. Richard-
 ville's Reservation.

345

T. 27 N., R. 2 E. 2. Mer. Ind.^a

Courses Chs. Lhs.

Remarks.

Right bank down stream. Beginning at the SW. corner of Mawchinequeaw's Reservation, thence:

S39W 3.50 In Sec. 12 - Head of Island opposite place of Beginning

S35W 3.50 } High Bluff and Springs below. Also 3 or
S4W 0.50 } 4 Indian Wigwams with as many families
S29E 3.35 } of Indians. At 1.00 Ch. on last course foot of Island.

To port in line between Sec. 12 & 13
73.33 Ch. West of Sec. corner.

S31E 2.50 In Sec. 13

S9E 4.50 at 2.00 Ch. Head of Island

S4W 14.50 at 10.00 " Point of Do

S26W 5.00

S44 1/4 W 7.96 to port in line between Sec. 13 & 14
30.89 Ch. South of Sec. cor.

S42W 12.50 In Sec. 14 Head of great Shoal & small

S21W 13.00 Prairie bears W

S10W 2.50 at 50 Yds. a Creek 20 Yds. wide from WNW fine rock &

S3W 4.00 foot of Shoals

S12W 8.00

S23W 9.00 at 3.00 Ch. a Spring in bank

S44 1/2 E 5.15 to port in line between Sec. 14 & 23
18.41 Ch. West of Sec. corner.

S4W 3.00 In Sec. 23

South 14.50

S18W 12.50

S56W 3.50

S77W 6.00

N69W 4.00

N82W 5.50

T. 27 N., R. 2 E. 2. Mer. Ind.?

Courses Chrs. Ekr.

Remarks.

S74°W 9.00

S70°W 5.50

N87°W 10.00 at 9.00 Chrs. a Branch 4 Mts. wide fr. NNE

S77°W 8.50

N87°W 1.59 to post in line between Sec. 22 & 23

35.40 Chrs. South of Sec. corner.

S83°W 2.00 In Sec. 22

S65°W 14.00

S49°W 4.50

S38°W 4.50

S65°W 5.00

S73°W 8.50 at 25 Mts. a Spring branch 3 Mts. wide fr. N.

S52°W 3.50

S51°W 11.00

S73°W 5.00

N74°W 5.00

N57°W 4.50

N52°W 4.00 at 1.00 Chrs. Head of Island

N69°W 10.00 at 8.50, Point of Is.

N44°W 4.00

N22°W 2.50

N38°W 4.50 at 3.00 Chrs. a Branch 4 Mts. wide from N.

N60°W 3.06 to post in line between Sec. 21 & 22

43.74 Chrs. South of Sec. corner.

N54°W 5.00 In Sec. 21

N71°W 7.50

N84°W 7.50

S63°W 42.00 at 4.50 Chrs. a Spring branch 6 Mts. wide from N - at 15.00 Chrs. Branson's spring

S26°W 3.50

S44°W 11.00

S23°W 5.50 at 50 Mts. a Stream 25 Mts. wide from NW

S50°W 5.00

S71°W 4.50

347

T. 27 N., R. 2 E. 2. Mer. Ind.

Courses Chrs. & M.

Remarks.

S77°W 3.91 to post in line between Sec. 20 & 21
78.50 Chrs. South of Sec. corner.

West 18.68 In Sec. 20

N71°W 9.50 at 9.00 Chrs. Head of Island

N37°W 10.00 at 5.00 Point of Is

N63°W 10.00

N79°W 5.50

S72°W 4.50 } High Bluff

S57°W 4.00

S35°W 5.00

S17°W 2.50

S8°E 2.00

S19°W 2.00

S44°W 3.50

S61°W 3.50

S64°W 8.37 to post in line between Sec. 20 & 29
1.00 Chrs. East of Sec. corner.

S62°W 1.15 In Sec. 29 - to post in line between Sec.
29 & 30 - 58 Mts. South of Sec. corner.

S66°W 9.00 In Sec. 30 - at 4.25 Chrs. a Spring branch
8 Mts. wide from NW

S72°W 14.00 at 5.25 Chrs. and at 11.50 Spring branches
from NW

S68½°W 10.00

S63°W 3.50

West 4.50

N75½°W 5.00

N64°W 5.00 at 1.75 Chrs. a Branch 5 Mts. wide from
NW.

S82°W 5.00

S63¾°W 13.68 Intersect N.E. Boundary of George
Cicott's Reserve. At 3.00 Chrs. Head of
Shoals. June 24. 1828

T. 27 N., R. 2 E. 2. Mer. Ind.^a
 Chs. Lk.

Thomas Brown
 Deputy Surveyor.

Arthur St. C. Vance, D. S. commenced subdividing South of Wabash River on the 3^d and completed on the 6th day of December 1838
 North between Secs 35 & 36 Var. 5. 40. E.
 21.50 enter Prairie, NW
 32.50 leave "
 40.00 set q. sec. post from which
 a Beech 28 in. dia. bears S 20° W 22 1/2 M. dist. 8
 an Elm 30 " " " N 15° W 30 " "
 40.72 a Beech 24 " "
 41.00 an Indian trace, W
 57.66 a Beech 26 in. dia.
 65.40 a B. Walnut 60 in. dia.
 80.00 set post cor. of Secs 25, 26, 35 & 36 from which
 an Elm 24 in. dia. bears N 72° E 16 M. dist. 8
 an Ironwood 6 " " " S 59° W 24 " "
 Rich bottom land, 1st rate. Timber Elm, Ash,
 Walnut, Buckeye & Spice, Pawpaw &c.

North between Secs 25 & 26
 8.20 over creek 10 M. wide course W.
 12.70 a Beech 10 in. dia.
 21.33 a Sugar 30 " "
 34.70 to post in left bank of Wabash River from which
 a P. Oak 10 in. dia. bears S 65° E 20 M. dist. 8
 a Lym 18 " " " S 30° W 25 " "
 Land same as last described. Soil on lime-
 stone rock. December 3. 1838

North between Secs 34 & 35
 3.40 a Beech 34 in. dia.
 10.30 an Elm 24 " "
 24.10 a Beech 26 " "

T. 27 N., R. 2 E. 2^d Mer. Ind^a.

Ch. Sk.

- 32.40 a B. Walnut 65 in. dia.
 40.00 set of sec. post from which
 a Hackberry 14 in. dia. bears N 72 E 11 W. dist. 2
 a Sugar 5 " " " S 64 W 27 " "
 41.00 a Beech 24 " "
 44.62 a Do 24 " "
 45.00 enter Prairie, E
 51.00 leave "
 61.90 an Indian trace, E
 75.00 enter Slue, NW
 77.00 leave "
 80.00 set post cor. of sec. 26, 27, 34 & 35 from which
 an Elm 20 in. dia. bears N 58 W 20 W. dist. 2
 a Do 24 " " " S 88 E 28 " "
 Gently rolling T. prairie land. Timber Elm,
 Ash, Walnut & Spice, Pawpaw &c.

East on Randon between Sec. 26 & 35

- 6.00 enter Pond
 8.50 leave "
 13.00 over Limestone quarry on ledge, SE
 18.00 leave it
 26.70 over Run 2 W. wide course NW
 27.50 enter Swamp, SE
 37.50 leave "
 46.00 over Run 6 W. wide course N.
 79.68 Intersect N. & S. line 68 W. N. of post—
 Flat wet prairie land, stony. Timber Elm,
 Lym, Ash & Spice, Willow &c. Dec. 5. 1838

N 89.30 W. Corrected between Sec. 26 & 35

- 0.73 a Lym 12 in. dia.
 20.83 a Maple 12 " "
 39.84 set of sec. post at aver. dist. from which
 a Maple 8 in. dia. bears N 37 E 10 W. dist. 2
 a Bur Oak 5 " " " S 40 W 17 " "

T. 27 N., R. 2 E. 2^d Mer. Ind^a

Ch. Lk.

40.26 a Burr Oak 24 in. dia.

64.89 an Elm 11 in. dia.

79.68 to sec. cor.

West between Sec. 27 & 34

6.96 a Blue Ash 14 in. dia.

14.42 Intersect E. Boundary of Paul Longlois's survey N^o 6, set post from which

a Hickory 5 in. dia. bears N 28 E 7 1/2 M. dist. &

a gray Ash 10 " " " S 34 W 20 " "

Measured along said line of Survey N^o 6,

North 13.50 Ch. to NE. corner of the same

in left bank of Wabash River.

North between Sec. 26 & 27

7.00 an Elm 30 in. dia.

17.34 set post on left bank of Wabash R. from which

a W. Walnut 10 in. dia. bears S 51 E 7 1/2 M. dist. &

a Buckeye 9 " " " S 11 E 50 " "

Level stony bottom. Timber Elm, Ash,

Buckeye, Gum & Spice, Pawpaw &c.

December 6. 1838

Meanders of left bank of Wabash River.

Beginning at post in left bank of Wabash River,

NE. corner of J. Godfrey's grant N^o 4, from which

the post on right bank of stream between Sec. 32 & 33

bears N 57 W. 17.40 Ch. dist. Var. 450' E. Thence:

Courses Ch. Lk.

Remarks.

N 62 E 19.00

In Sec. 33 Limestone quarry in left bank

N 52 E 21.00

N 37 1/2 E 15.00

N 46 3/4 E 8.50

N 60 1/2 E 5.63

N 68 E 5.00

T. 27 N., R. 2 E. 2. Mer. Ind. &

Courses Ch. & Sec.

Remarks.

N76°E 1.00 to lower corner of Paul Longloy's grant N° 6,
being NW. corner in left bank of stream.
December 6. 1838

Beginning at post in the left bank of Wa-
bash River, NE. corner of Paul Longloy's
survey N° 6. Thence up stream: Var. 5.40 E

N68°E 8.00 In Sec. 27

N82°E 6.90 to post in line between Secs. 26 & 27

N86 1/4°E 33.00 In Sec. 26.

N61°E 10.00 at 2.00 Ch. pass Creek 20 lbs. wide course N

N71°E 9.50

N86°E 17.50

N60 1/4°E 10.00

N74°E 2.80

Limestone ledges all along left bank of
river.

to NW. corner of Ducks survey N° 9
December 6. 1838

General description.

The largest proportion of land in this Town-
ship is first rate.

The soil is shallow but rich, being from 4 to
8 inches deep, being based on limestone which
developes itself on the surface frequently.

Timber chiefly Elm, Beech and Ash.

Good soil timber is scarce

This Township is finely watered with never
failing springs and brooks.

I hereby certify that in pursuance of a
contract with Robert T. Lytle, Surveyor General
of the United States for the States of Ohio, Ind-
iana and Michigan, bearing date the 10th
day of May 1838, and in strict conformity
to the Laws of the United States and the In-
structions of said Surveyor General, I have

T. 27 N., R. 2 E. 2^d Mer. Ind.

surveyed and subdivided into sections fractional Township N. 27 North, in Range N. 2 E. of the 2^d Principal Meridian in the State of Indiana; and I do further certify that the foregoing are the true and original Field Notes of said survey and subdivision executed as aforesaid.

Certified this 7th day of December 1838.

Arthur St. C. Vance

Dep. Surveyor

^{his}
David Frazier

^{mark}

John F. Sims

} Chain carriers

John P. Johnson, Marker

Meanders of Islands in the Wabash River.

Island N. 1. Var. 6° 06' E. Commencing at
port cor. of sec. 27 & 34, T 27 N, R 2 E. from wh.
an Ironwood Tr. in. dia. bears N 38 1/2 E 26 W. dist 8
a Sugar 6 " " " S 85 1/2 W 41 " "

Thence run an unmarked line N 65 E 12.50 Ch.
to the right bank of the Wabash, continue to 14.00 "
and set post on Island N. 1 from which
a Hackberry 16 in. dia. bears N 80 E 40 W. dist 5
a Gum 16 " " " N 42 E 42 " "

Courses	Ch. & Sks.	Remarks.
N 20 1/2 W	3.12	
N 53 E	6.32	
N 43 E	4.58	
N 51 E	1.95	
N 64 E	2.59	
N 59 E	3.48	
N 75 E	2.02	
N 64 E	5.63	
S 82 E	1.20	

T. 27 N., R. 2 E. S. Mer. Ind. a

Courses Ch. S. M.

Remarks

S 44 E 1.05

S 40 E 1.42

S 42 W 0.50

S 69 W 1.30

S 33 W 2.62 There is a double cabin and a small cornfield on this Island.

S 39 W 3.06

S 46 W 3.21

S 52 W 2.48

S 55 W 8.32

S 57 W 2.73

S 88 W 0.38

S 68 W 3.50

N 2 E 1.00 to the place of Beginning

Land level 1st rate. Timber Walnut, Hack,
berry, Lym & Sugar. Ulp. Lym & Sugar.

Island N. 2. Var. C. 00. E.

Beginning at the sup. corner of Sec. 32 &
33, T. 27 N., R. 2 E. from which

a Bur. Oak 15 in. dia. bears N 50 W 22 W. dist 8

a Do 15 " " " N 20 E 55 " "

South 6.00 set post on bank of Island from which

a Sycamore 24 in. dia. bears South 11 W. dist 8

a Do 15 " " " S 45 E 11 " "

S 80 E 1.92

East 1.46

S 62 E 1.11

S 4 E 1.14

S 73 W 5.18

N 87 W 5.40

S 80 W 4.24

N 86 W 5.97

N 79 W 8.04

N 68 W 2.65

N 56 W 2.00

N 68 W 1.00

T. 27 N., R. 2 E. 2^d Mer. Ind.^a

Courses & Dist. P.M.

Remarks.

N 48° W 0.65

N 79° E 0.67

N 89° E 5.89

N 82° E 2.84

N 87° E 4.00

N 84° E 3.36

S 87° E 4.97

S 82° E 2.73

S 76° E 2.99

S 87° E 1.85

S 73° E 2.61 to post at Beginning.

Land level & 1st rate, timber Walnut, Hack-
berry, Oak & Syc. Vly. same.

A camp and small cornfield on this Island

I certify the foregoing to be correct notes of
the survey which they purport.

May 25. 1832

David Hillis

Deputy Surveyor.

I certify that the foregoing transcript of
Field Notes of the survey of Township N. 27
North, of Range N. 2 East of the 2^d Principal
Meridian, in the State of Indiana, has been
compared with the original on file in this of-
fice, and found to be correct.

Surveyor General's Office,
Cincinnati, Nov. 26. 1844.

William Johnston
Sur. Genl.